# LIST OF QUALIFYING FLUSHOMETER HIGH-EFFICIENCY TOILETS (HETs)

San Francisco Water Power Sewer
Services of the San Francisco Public Utilities Commission

**Rebates for Flushometer HETs listed are valid for purchases made between**

**January 1, 2016 through March 31, 2016**

**Maximum Performance (MaP)® of Toilet Fixtures - High Efficiency Flushometer Valve/Bowl Combinations (1.28 gal/4.8 litre maximum)**

**IMPORTANT: Prior to purchasing, please confirm that both the valve model number and the bowl model number of your selected HET combination appear on this list. Some HETs & ULFTs (ultra low flush toilets that flush 1.6 gpf) have similar model numbers. Only high efficiency models flushing an average 1.28 gpf listed herein qualify for a rebate. Bowl and valve do not need to be tested together to qualify.**

MaP Maximum Performance

| Manufacturer Fixture Combination | Bowl Model Name | Bowl Model Number | Flushometer Valve Manufacturer and Model Number | MaP Performance Score | 4.8-L (1.28-gal) HET Commercial Combination | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) |
|---|---|---|---|---|---|---|---|---|---|
| American Standard | American Standard Madera 1.28 EL | 2234.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | | | F |
| American Standard | American Standard Madera EL (10-in rough-in) | 2234.001 (top spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | | | F |
| American Standard | American Standard Madera EL (10-in rough-in) | 2234.001 (top spud) | American Std 6067121.002 (piston type)(hard wire) | 1,000 | HET | E | | | F |
| American Standard | American Standard Madera 1.1 EL (12-in rough-in) | 2234.001 (top spud) (NOTE: also includes 2623.001, 2624.001, 3451.001, 3452.001, 3455.001) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | | | F |
| American Standard | American Standard Afwall 1.28 EL ADA | 2257.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC 1.28 EL ADA | 2257.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EL ADA | 2257.001 (top spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EL ADA | 2257.001 (top spud) | American Std 6067121.002 (piston type)(hard wire) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EL ADA (1.28 gal/flush) | 2257.001 (top spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EL ADA (1.28 gal/flush) | 2257.001NAF (top spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall Millennium 1.1 EL ADA | 2257.101 (top spud) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall Millennium 1.1 EL ADA | 2257.101NAF (top spud) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Baby Devoro FV Universal HET (child's bowl height: 10.4-inch = 260 mm) | 2282.001-1.28 (top spud) (child's bowl height: 10.4-inch = 260 mm) | American Std 6065121.002 (piston type) | 800 | HET | | S | | F |
| American Standard | American Standard Madera Youth FloWise (youth bowl height: 14-inch = 355 mm) | 2599.001 (top spud) (youth bowl height: 14-inch = 355 mm) | American Std 6065525.002 | 800 | HET | E | | | F |
| American Standard | American Standard Afwall Millennium 1.1 EL ADA | 2633.101 (top spud - BPL) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EL ADA (1.28 gal/flush) | 2633.101 (top spud - BPL) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall Millennium 1.1 EL ADA | 2634.101 (back spud) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EL ADA (1.28 gal/flush) | 2634.101 (back spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Madera 1.28 EL ADA | 3043.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | ADA | | F |
| American Standard | American Standard Madera EL ADA (10-in rough-in) | 3043.001 (top spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | | F |
| American Standard | American Standard Madera EL ADA (10-in rough-in) | 3043.001 (top spud) | American Std 6067121.002 (piston type)(hard wire) | 1,000 | HET | E | ADA | | F |
| American Standard | American Standard Madera EL ADA (12-in rough-in) | 3043.001 (top spud) (NOTE: also includes 3248.001, 3249.001, 3461.001, 3462.001, 3463.001, 3464.001) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | | F |
| American Standard | American Standard Huron EL ADA (12-in rough-in) | 3312.001 OR 3313.001 (bed pan lugs) (top spud) (UPC bar code 3305683469) | American Std 6047121 (piston type - manual) | 500 | HET | E | ADA | R | F |
| American Standard | American Standard Huron EL ADA (12-in rough-in) | 3312.001 OR 3313.001 (bed pan lugs) (top spud) (UPC bar code 3305683469) | American Std 6065121.002 (piston type) | 500 | HET | E | ADA | R | F |
| American Standard | American Standard Afwall EC 1.28 EL ADA (with EverClean) | 3351.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC 1.1 EL ADA | 3351.001 (top spud) | American Std 6067111 (piston type)(hard wire) | 800 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EL ADA (with EverClean) | 3351.001 (top spud) (UPC bar code 3305683100) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EL ADA (with EverClean) | 3351.001 (top spud) (UPC bar code 3305683100) | American Std 6067121.002 (piston type)(hard wire) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC TS 1.1 EL ADA | 3351.101 (top spud) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC TS EL ADA (1.28 gal/flush) | 3351.101 (top spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC Millennium 1.1 EL ADA | 3352.101 (top spud - BPL) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC EL ADA (1.28 gal/flush) | 3352.101 (top spud - BPL) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC Millennium 1.1 EL ADA | 3353.101 (back spud) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |

HET List Courtsey of: MaP® - © 2004-2015 Gauley Associates, Ltd. and Koeller Co. (www.map-testing.com)

| Manufacturer Fixture Combination | Bowl Model Name | Bowl Model Number | Flushometer Valve Manufacturer and Model Number | MaP Performance Score | 4.8-L (1.28-gal) HET Commercial Combination | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) |
|---|---|---|---|---|---|---|---|---|---|
| American Standard | American Standard Afwall EC EL ADA (1.28 gal/flush) | 3353.101 (back spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC Millennium 1.1 EL ADA | 3354.101 (top spud - BPL) | American Std 6065111 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Afwall EC EL ADA (1.28 gal/flush) | 3354.101 (top spud - BPL) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| American Standard | American Standard Madera 1.28 EL ADA (with EverClean) | 3451.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | ADA | | F |
| American Standard | American Standard Madera EC 1.28 EL | 3451.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | | | F |
| American Standard | American Standard Afwall EC 1.1 EL ADA | 3451.001 (top spud) | American Std 6067111 (piston type)(hard wired) | 800 | HET | E | ADA | | F |
| American Standard | American Standard Madera EL (10-in rough-in)(with EverClean) | 3451.001 (top spud) (UPC bar code 3303583063) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | | | F |
| American Standard | American Standard Madera EL (10-in rough-in)(with EverClean) | 3451.001 (top spud) (UPC bar code 3303583063) | American Std 6067121.002 (piston type)(hard wire) | 1,000 | HET | E | | | F |
| American Standard | American Standard Madera 1.28 EL (with EverClean) | 3461.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | | | F |
| American Standard | American Standard Madera EC 1.28 EL ADA | 3461.001 (top spud) | American Std 6047121 (piston type - manual) | 1,000 | HET | E | ADA | | F |
| American Standard | American Standard Madera EC 1.1 EL ADA | 3461.001 (top spud) | American Std 6067111 (piston type)(hard wire) | 800 | HET | E | ADA | | F |
| American Standard | American Standard Madera EL ADA (10-in rough-in)(with EverClean) | 3461.001 (top spud) (UPC bar code 3305683071) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | | F |
| American Standard | American Standard Madera EL ADA (10-in rough-in)(with EverClean) | 3461.001 (top spud) (UPC bar code 3305683071) | American Std 6067121.002 (piston type)(hard wire) | 1,000 | HET | E | ADA | | F |
| American Standard/Moen | American Standard Afwall EC 1.1 EL (wall mount-ADA possible) | 3351.001 (top spud) | Moen 8310 M128 (piston type) | 600 | HET | E | ADA | R | W |
| American Standard/Sloan | American Standard Afwall FloWise EL | 3351.128 OR 3351.001 (top spud) | Sloan 111-1.2 (1-1/2") (piston type) | 800 | HET | E | ADA | R | W |
| American Standard/Sloan | American Standard Afwall FloWise EL | 3352.128 OR 3352.001 (top spud; w/bedpan lugs) | Sloan 111-1.2 (1-1/2") (piston type) | 800 | HET | E | ADA | R | W |
| American Standard/Sloan | American Standard Madera FloWise EL (10-in rough-in) | 3451.128 OR 3451.001 (top spud) | Sloan 111-1.2 (1-1/2") (piston type) | 1,000 | HET | E | | | F |
| American Standard/Sloan | American Standard Madera FloWise EL (10-in rough-in) | 3452.128 OR 3452.001 (top spud; w/bedpan lugs) | Sloan 111-1.2 (1-1/2") (piston type) | 1,000 | HET | E | | | F |
| American Standard/Sloan | American Standard Madera FloWise EL ADA (10-in rough-in) | 3461.128 OR 3461.001 (top spud) | Sloan 111-1.2 (1-1/2") (piston type) | 1,000 | HET | E | ADA | | F |
| American Standard/Sloan | American Standard Madera FloWise EL ADA (10-in rough-in) | 3462.128 OR 3462.001 (top spud; w/bedpan lugs) | Sloan 111-1.2 (1-1/2") (piston type) | 1,000 | HET | E | ADA | | F |
| American Standard/Sloan | American Standard Priolo EL ADA | 3695.128 OR 3695.001 (top spud) | Sloan 111-1.2 (1-1/2") | 1,000 | HET | E | ADA | R | F |
| American Standard/Sloan | American Standard Priolo EL ADA | 3696.128 OR 3696.001 (top spud; w/bed pan lugs) | Sloan 111-1.2 (1-1/2") | 1,000 | HET | E | ADA | R | F |
| American Standard/Toto | American Standard Priolo EL ADA | 3697.128 OR 3697.001 (back spud) | Toto TET 1 DNCR (1-1/2") (piston-type) | 1,000 | HET | E | ADA | R | F |
| American Standard/Toto | American Standard Priolo EL ADA | 3698.128 OR 3698.001 (back spud; w/ bed pan lugs) | Toto TET 1 DNCR (1-1/2") (piston-type) | 1,000 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn Z6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn Z6000PL-HET | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6000AV-HET | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6000AV-HET-IS | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6000AV-HET-IS | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6000PL-HET | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6000PL-HET-IS | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6000PL-HET-IS | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6200-HET | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6200-HET-IS | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZEMS6200PL-HET | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZER6000AV-HET-(CPM and CP) | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZER6000PL-HET-(CPM and CP) | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZR6000AV-HET | 800 | HET | E | ADA | R | F |
| American Standard/Zurn | American Standard Priolo EL ADA | 3695.001 (top spud) | Zurn ZR6000PL-HET | 800 | HET | E | ADA | R | F |
| ASC/Delany | ASC Verna RF | 412740 (back spud) | Delany Saber S402-1.28-SC-T42 (diaphragm type) | 800 | HET | R | | | F |
| ASC/Delany | ASC Verna RF | 412750 (top spud - 12-in rough-in) | Delany Saber S402-1.28-SC-T42 (diaphragm type) | 600 | HET | R | | | F |
| Briggs/Sloan | Briggs Carlton EL | 7711 (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 800 | HET | E | | | F |
| Briggs/Sloan | Briggs Sultan EL ADA | 7781 (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 800 | HET | E | ADA | R | W |
| Contrac/Delta | Contrac Colter Commercial EL | 4762BEX (top spud) | Delta 81T201-48 | 1,000 | HET | E | | | F |
| Contrac/Delta | Contrac Clay Commercial EL ADA | 4762BOX (top spud) | Delta 81T201-48 | 1,000 | HET | E | ADA | | F |
| Contrac/Delta | Contrac Clark Commercial EL (wall mount-ADA possible) | 4762CEX (top spud) | Delta 81T201-48 | 1,000 | HET | E | ADA | R | W |
| Contrac/Moen | Contrac Clark Commercial EL (wall mount-ADA possible) | 4762CEX (top spud) | Moen 8310 M128 (piston type) | 500 | HET | E | ADA | R | W |
| Contrac/Sloan | Contrac Colter EL | 4762BEU (back spud) | Sloan Royal 111-1.28 (diaphragm type) | 600 | HET | E | | | F |
| Contrac/Sloan | Contrac Colter Commercial EL | 4762BEX (top spud) | Sloan 111-1.2 (piston type) | 850 | HET | E | | | F |
| Contrac/Sloan | Contrac Clay EL | 4762BOU (back spud) | Sloan Royal 111-1.28 (diaphragm type) | 550 | HET | E | | | F |
| Contrac/Sloan | Contrac Clay Commercial EL ADA | 4762BOX (top spud) | Sloan 111-1.2 (piston type) | 800 | HET | E | ADA | | F |
| Contrac/Sloan | Contrac Clark EL (wall mount-ADA possible) | 4762CEU (back spud) | Sloan Royal 111-1.28 (diaphragm type) | 550 | HET | E | ADA | R | W |

HET List Courtsey of: MaP® - © 2004-2015 Gauley Associates, Ltd. and Koeller Co. (www.map-testing.com)

| Manufacturer Fixture Combination | Bowl Model Name | Bowl Model Number | Flushometer Valve Manufacturer and Model Number | MaP Performance Score | 4.8-L (1.28-gal) HET Commercial Combination | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) |
|---|---|---|---|---|---|---|---|---|---|
| Contrac / Sloan | Contrac Clark Commercial EL (wall mount-ADA possible) | 4762CEX (top spud) | Sloan 111-1.2 (piston type) | 800 | HET | E | ADA | R | W |
| Crane / American Standard | Crane Eco Placidus EL (wall mount-ADA possible) | 3446-01 (top spud) | American Std 6065111.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| Crane / American Standard | Crane Eco Placidus EL (wall mount-ADA possible) | 3446-01 (top spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| Crane / American Standard | Crane Eco Placidus Afwall EL (wall mount-ADA possible) | 3449-01 (back spud) | American Std 6065111.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| Crane / American Standard | Crane Eco Placidus Afwall EL (wall mount-ADA possible) | 3449-01 (back spud) | American Std 6065121.002 (piston type)(battery) | 1,000 | HET | E | ADA | R | W |
| Crane / Sloan | Crane EcoWhirlton EL | 3325 | Sloan 111-1.2 | 800 | HET | E | | | F |
| Crane / Sloan | Crane EcoWhirlton EL | 3325 | Sloan WES 111 | 800 | HET | E | | | F |
| Crane / Sloan | Crane Eco Hymont EL ADA | 3H701 | Sloan 111-1.2 | 600 | HET | E | ADA | | F |
| Gerber / Sloan | Gerber North Point 1.28 EL (ADA possible) | 25-038 (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | R | W |
| Gerber / Sloan | Gerber North Point 1.28 EL ADA | 25-733 (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Gerber / Sloan | Gerber North Point 1.28 EL | 25-833 (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | | | F |
| Gerber / Sloan | Gerber North Point Jr. 1.28 RF (Youth size bowl height: 13.4" = 340mm) | 25-872 (top spud) (Youth size bowl height: 13.4" = 340mm) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | | | F |
| Gerber / Sloan | Gerber North Point 1.28 EL ADA | 25-878 (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | R | F |
| Hajoca Mainline / Delta | Commercial EL | 4762BEX (top spud) | Delta 81T201-48 | 1,000 | HET | E | | | F |
| Hajoca Mainline / Delta | Commercial EL ADA | 4762BOX (top spud) | Delta 81T201-48 | 1,000 | HET | E | ADA | | F |
| Hajoca Mainline / Delta | Commercial EL (wall mount-ADA possible) | 4762CEX (top spud) | Delta 81T201-48 | 1,000 | HET | E | ADA | R | W |
| Hajoca Mainline / Sloan | Hajoca Mainline Commercial EL (wall mount-ADA possible) | MLS10409 (top spud) | Sloan 111-1.2 (piston type) | 800 | HET | E | ADA | R | W |
| Hajoca Mainline / Sloan | Hajoca Mainline Commercial EL | MLS10410 (top spud) | Sloan 111-1.2 (piston type) | 850 | HET | E | | | F |
| Hajoca Mainline / Sloan | Hajoca Mainline Commercial EL ADA | MLS10411 (top spud) | Sloan 111-1.2 (piston type) | 800 | HET | E | ADA | | F |
| HD Supply / Sloan | Seasons Commercial EL (wall mount-ADA possible) | 564805 (top spud) | Sloan 111-1.2 (piston type) | 800 | HET | E | ADA | R | W |
| HD Supply / Sloan | Seasons Commercial EL ADA | 564809 (top spud) | Sloan 111-1.2 (piston type) | 800 | HET | E | ADA | | F |
| HD Supply-FM / Delta | Commercial EL | 4762BEX (top spud) | Delta 81T201-48 | 1,000 | HET | E | | | F |
| HD Supply-FM / Delta | Commercial EL ADA | 4762BOX (top spud) | Delta 81T201-48 | 1,000 | HET | E | ADA | | F |
| HD Supply-FM / Delta | Commercial EL (wall mount-ADA possible) | 4762CEX (top spud) | Delta 81T201-48 | 1,000 | HET | E | ADA | R | W |
| HD Supply / Sloan | Seasons Commercial EL | 564807 (top spud) | Sloan 111-1.2 (piston type) | 850 | HET | E | | | F |
| Kohler | Kohler Kingston EL (wall mount-ADA possible) | K-4323 | Kohler K-10956 (piston type) | 1,000 | HET | E | ADA | R | W |
| Kohler | Kohler Kingston EL (wall mount-ADA possible) | K-4325 | Kohler K-10956 (piston type) | 1,000 | HET | E | ADA | R | W |
| Kohler | Kohler Kingston EL (wall mount-ADA possible) | K-4325 with 4405 bowl | Kohler K-13517 (piston type - manual actuation) | 1,000 | HET | E | ADA | R | W |
| Kohler | Kohler Anglesey EL ADA | K-4352 (top spud) | Kohler K-10956-CP (piston type) | 1,000 | HET | E | ADA | | F |
| Kohler | Kohler Anglesey CH EL ADA | K-4352 (top spud) | Kohler K-13517 (piston type - manual actuation) | 1,000 | HET | E | ADA | R | F |
| Kohler | Kohler Primary EL (child's bowl height: 10.5-inch = 267 mm) | K-4384 (top spud - child's bowl) (child's bowl height: 10.5-inch = 267 mm) | Kohler K-10673-CP (piston type) | 500 | HET | E | | | F |
| Kohler | Kohler Highline EL ADA | K-4405 (top spud) | Kohler K-13517 (piston type - manual actuation) | 1,000 | HET | E | ADA | | F |
| Kohler | Kohler Highline EL ADA | K-4405 and K-4405L bowls | Kohler K-10956 (piston type) | 1,000 | HET | E | ADA | | F |
| Kohler | Kohler Wellworth EL | K-4406 (top spud) | Kohler K-10956 (piston type) | 1,000 | HET | E | | | F |
| Kohler | Kohler Wellworth EL | K-4406 (top spud) | Kohler K-13517 (piston type - manual actuation) | 1,000 | HET | E | | | F |
| Kohler / Moen | Kohler Highline EL | K-4405 (top spud) | Moen 8310 EFV (piston type) | 1,000 | HET | E | ADA | | F |
| Kohler / Sloan | Kohler Wellworth EL | K-4406 (top spud) | Sloan GEM 111-1.28 (piston type) | 1,000 | HET | E | | | F |
| Kohler / Sloan | Kohler Wellworth EL | K-4406 (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | | | F |
| Mansfield / American Std | Mansfield EL ADA | 1319 | American Std 6065.121 | 1,000 | HET | E | ADA | | F |
| Mansfield / American Std | Mansfield EL ADA | 1319BPL (with bedpan lugs) | American Std 6065.121 | 1,000 | HET | E | ADA | | F |
| Mansfield / Sloan | Mansfield Baltic EL | 1311 (rear spud) | Sloan Royal 111-1.28 | 1,000 | HET | E | | | F |
| Mansfield / Sloan | Mansfield Baltic EL | 1311 (top spud) | Sloan Royal 111-1.28 | 1,000 | HET | E | | | F |
| Mansfield / Sloan | Mansfield Huron EL (rear outlet) | 1312 (rear outlet) | Sloan Royal 111-1.28 | 1,000 | HET | E | | R | F |
| Mansfield / Sloan | Mansfield Huron EL ADA Floor Mount Rear Outlet | 1313 (top spud) | Sloan Royal 111-1.28 | 800 | HET | E | ADA | R | F |
| Mansfield / Sloan | Mansfield Adriatic EL ADA | 1319 (rear spud) | Sloan Royal 111-1.28 | 1,000 | HET | E | ADA | | F |
| Mansfield / Zurn | Mansfield Erie EL (wall mount-ADA possible) | 1301 | Zurn ZTS6200EV | 1,000 | HET | E | ADA | R | W |
| Mansfield / Zurn | Mansfield Erie EL (wall mount-ADA possible) | 1301BPL (with bedpan lugs) | Zurn ZTS6200EV | 1,000 | HET | E | ADA | R | W |
| ProFlo / Sloan | ProFlo RF (child's bowl height: 10-inch = 254 mm) | PF1700BBHE(top spud)(child's bowl height: 10-inch = 254 mm) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | R | | | F |
| ProFlo / Sloan | ProFlo EL | PF1721 (top spud) | Sloan Royal 111-1.2 (diaphragm type) | 900 | HET | E | | | F |
| ProFlo / Sloan | ProFlo EL ADA | PF1723 (top spud) | Sloan Royal 111-1.2 (diaphragm type) | 900 | HET | E | ADA | | F |
| ProFlo / Sloan | ProFlo EL (wall mount-ADA possible) | PF1731 (top spud) | Sloan Royal 111-1.2 (diaphragm type) | 800 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (10-inch rough-in) | ST2009A (top spud) | Sloan Crown 111-1.28 (piston type) | 1,000 | HET | E | | | F |
| Sloan Valve | Sloan EL (10-inch rough-in) | ST2009A (top spud) | Sloan Ecos 111-1.28 (diaphragm type) | 1,000 | HET | E | | | F |
| Sloan Valve | Sloan EL (10-inch rough-in) | ST2009A (top spud) | Sloan Ecos 8111-1.28 (diaphragm type) | 1,000 | HET | E | | | F |
| Sloan Valve | Sloan EL (10-inch rough-in) | ST2009A (top spud) | Sloan G2 Optima Plus 8111-1.28 (diaphragm type) | 1,000 | HET | E | | | F |
| Sloan Valve | Sloan EL (10-inch rough-in) | ST2009A (top spud) | Sloan Gem 2 111-1.28 (piston type) | 1,000 | HET | E | | | F |
| Sloan Valve | Sloan EL | ST2009A (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL | ST2009A (top spud) | Sloan Royal Uppercut 1.6 / 1.1 dual flush (diaphragm) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL (10-inch rough-in) | ST2009A (top spud) | Sloan Solis 8111-1.28 (diaphragm type) | 1,000 | HET | E | | | F |
| Sloan Valve | Sloan EL | ST2010A (rear spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | | | F |
| Sloan Valve | Sloan EL ADA (10-inch rough-in) | ST2029A (top spud) | Sloan Crown 111-1.28 (piston type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (10-inch rough-in) | ST2029A (top spud) | Sloan Ecos 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (10-inch rough-in) | ST2029A (top spud) | Sloan Ecos HW 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (10-inch rough-in) | ST2029A (top spud) | Sloan G2 Optima Plus 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |

HET List Courtesy of: MaP® - © 2004-2015 Gauley Associates, Ltd. and Koeller Co. (www.map-testing.com)



Qualifying list valid through March 31, 2016

| Manufacturer Fixture Combination | Bowl Model Name | Bowl Model Number | Flushometer Valve Manufacturer and Model Number | MaP Performance Score | 4.8-L (1.28-gal) HET Commercial Combination | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) |
|---|---|---|---|---|---|---|---|---|---|
| Sloan Valve | Sloan EL ADA (10-inch rough-in) | ST2029A (top spud) | Sloan Gem 2 111-1.28 (piston type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (10-inch rough-in) | ST2029A (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (10-inch rough-in) | ST2029A (top spud) | Sloan Royal Uppercut 1.6 / 1.1 dual flush (diaphragm) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (10-inch rough-in) | ST2029A (top spud) | Sloan Solis 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA | ST2030A (rear spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2059A (top spud) | Sloan Crown 111-1.28 (piston type) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2059A (top spud) | Sloan Ecos 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2059A (top spud) | Sloan Ecos HW 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2059A (top spud) | Sloan G2 Optima Plus 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2059A (top spud) | Sloan Gem 111-1.28 (piston type) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2059A (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2059A (top spud) | Sloan Royal Uppercut 1.6 / 1.1 dual flush (diaphragm) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2059A (top spud) | Sloan Solis 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL (wall mount-ADA possible) | ST2060A (rear spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | R | W |
| Sloan Valve | Sloan EL ADA (12-inch rough-in) | ST2229A (top spud) | Sloan Crown 111-1.28 (piston type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (12-inch rough-in) | ST2229A (top spud) | Sloan Ecos 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (12-inch rough-in) | ST2229A (top spud) | Sloan Ecos HW 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (12-inch rough-in) | ST2229A (top spud) | Sloan G2 Optima Plus 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (12-inch rough-in) | ST2229A (top spud) | Sloan Gem 111-1.28 (piston type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (12-inch rough-in) | ST2229A (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan Efficiency Series EL ADA | ST2229A (top spud) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan EL ADA (12-inch rough-in) | ST2229A (top spud) | Sloan Solis 8111-1.28 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan Efficiency Series EL ADA (dual-flush) | ST2229A (top spud) | Sloan WES 111 - 1.6/1.1 (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Sloan Valve | Sloan Efficiency Series (child's bowl height: 10.5-inch = 267 mm) | ST2309A (top spud)(child's bowl height: 10.5-inch = 267 mm) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | | | | F |
| Sloan Valve | Sloan Efficiency Series Dual Flush (child's bowl height: 10.5-inch = 267 mm) | ST2309A (top spud)(child's bowl height: 10.5-inch = 267 mm) | Sloan WES 111 - 1.6/1.1 (diaphragm type) | 1,000 | HET | | | | F |
| Toto | Toto EL ADA | CT705ELN (G) (top spud) | Toto TET 1LN-32 (piston type) | 1,000 | HET | E | ADA | | F |
| Toto | Toto EL | CT705EN (G) (top spud) | Toto TET 1LN-32 (piston type) | 1,000 | HET | E | | | F |
| Toto | Toto EL ADA | CT708E (top spud) | Toto TET 1LN-32 (piston type) | 1,000 | HET | E | ADA | R | W |
| Toto | Toto EL ADA | CT708EV (rear spud) | Toto TET 1LN-32 (piston type) | 1,000 | HET | E | ADA | R | W |
| Tynan/Sloan | Tynan RF (child's bowl height: 10-inch = 254 mm) | 4505HE (top spud)(child's bowl height: 10-inch = 254 mm) | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | R | | | F |
| Tynan/Sloan | Tynan EL | 7501 (top spud) | Sloan Royal 111-1.2 (diaphragm type) | 900 | HET | E | | | F |
| Tynan/Sloan | Tynan EL ADA | 7502 (top spud) | Sloan Royal 111-1.2 (diaphragm type) | 900 | HET | E | ADA | | F |
| Tynan/Sloan | Tynan EL (wall mount-ADA possible) | 7503 (top spud) | Sloan Royal 111-1.2 (diaphragm type) | 800 | HET | E | ADA | R | W |
| Vitra/Toto | Vitra Evergreen Flushometer HET EL (wall mount-ADA possible) | 5425 (top spud) | Toto TMT 1HNCR (piston type) | 600 | HET | E | ADA | R | W |
| Vortens/Sloan | Atenas EL ADA (wall mount-ADA possible) | 3108-V | Sloan Royal 111-1.28 (diaphragm type) | 1,000 | HET | | ADA | R | W |
| Vortens/Toto | Vortens Atenas EL ADA | 3108 (top spud) | Toto TMT 1HNCR (piston type) | 600 | HET | E | ADA | R | W |
| Vortens/Toto | Vortens Vienna H Flux EL ADA | 3114-V (top spud) | Toto TMT 1HNCR (piston type) adjusted as HET | 1,000 | HET | E | ADA | | F |
| Vortens/Toto | Vortens Vienna EL Flux | 3115-V (top spud) | Toto TMT 1HNCR (piston type) adjusted as HET | 1,000 | HET | E | | | F |
| Vortens/Zurn | Vortens Vienna H Flux EL ADA | 3114-V (top spud) | Zurn Z6000AV-WS1-DF Dual Flush (6 & 4.1L) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5615-BWL | Zurn ZTR6200EV (piston type) | 1,000 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL HET | Zurn ZTR6200-ONE (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL HET | Zurn ZTS6200EV (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn Z6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn Z6000PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6000PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZER6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZER6000PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZR6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZR6000PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn Z6200-HET (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn Z6200PL-HET (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6200-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6200-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6200PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZEMS6200PL-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZER6200-HET (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5615-BWL TS | Zurn ZER6200PL-HET (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn Z6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn Z6000PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn Z6200-HET (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn Z6200PL-HET (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |

HET List Courtsey of: MaP® - © 2004-2015 Gauley Associates, Ltd. and Koeller Co. (www.map-testing.com)

| Manufacturer Fixture Combination | Bowl Model Name | Bowl Model Number | Flushometer Valve Manufacturer and Model Number | MaP Performance Score | 4.8-L (1.28-gal) HET Commercial Combination | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) |
|---|---|---|---|---|---|---|---|---|---|
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6000PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6200-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6200-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6200PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZEMS6200PL-HET-IS (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZER6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZER6000PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZER6200-HET (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZER6200PL-HET (piston type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZR6000AV-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EL (wall mount-ADA possible) | Z5616-BWL TS with BPL | Zurn ZR6000PL-HET (diaphragm type) | 800 | HET | E | ADA | R | W |
| Zurn | Zurn EcoVantage EL | Z5635-BWL (top spud) | Zurn Z6000AV-HET (diaphragm type-manual) | 800 | HET | E | | R | F |
| Zurn | Zurn EcoVantage EL | Z5635-BWL (top spud) | Zurn ZTR6200EV (piston type) | 800 | HET | E | | R | F |
| Zurn | Zurn EcoVantage EL | Z5636-BWL with BPL (top spud) | Zurn Z6000AV-HET (diaphragm type-manual) | 800 | HET | E | | R | F |
| Zurn | Zurn EcoVantage EL | Z5636-BWL with BPL (top spud) | Zurn ZTR6200EV (piston type) | 800 | HET | E | | R | F |
| Zurn | Zurn EcoVantage EL | Z5637-BWL (back spud) | Zurn Z6000AV-HET (diaphragm type-manual) | 800 | HET | E | | R | F |
| Zurn | Zurn EcoVantage EL | Z5637-BWL (back spud) | Zurn ZTR6200EV (piston type) | 800 | HET | E | | R | F |
| Zurn | Zurn EcoVantage EL ADA | Z5645-BWL (top spud) | Zurn Z6000AV-HET (diaphragm type-manual) | 800 | HET | E | ADA | R | F |
| Zurn | Zurn EcoVantage EL ADA | Z5645-BWL (top spud) | Zurn ZTR6200EV (piston type) | 800 | HET | E | ADA | R | F |
| Zurn | Zurn EcoVantage EL ADA | Z5646-BWL with BPL (top spud) | Zurn Z6000AV-HET (diaphragm type-manual) | 800 | HET | E | ADA | R | F |
| Zurn | Zurn EcoVantage EL ADA | Z5646-BWL with BPL (top spud) | Zurn ZTR6200EV (piston type) | 800 | HET | E | ADA | R | F |
| Zurn | Zurn EcoVantage EL ADA | Z5647-BWL (back spud) | Zurn Z6000AV-HET (diaphragm type-manual) | 800 | HET | E | ADA | R | F |
| Zurn | Zurn EcoVantage EL ADA | Z5647-BWL (back spud) | Zurn ZTR6200EV (piston type) | 800 | HET | E | ADA | R | F |
| Zurn | Zurn EL | Z5654-BWL | Zurn Z6000AV-HET (diaphragm type) | 800 | HET | E | | | F |
| Zurn | Zurn EL | Z5654-BWL | Zurn ZTR6200EV (piston type) | 800 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL | Zurn Z6200-HET (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL HET | Zurn ZTS6200EV (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn Z6000AV-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn Z6000PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6000AV-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6000PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZER6000AV-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZER6000PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZR6000AV-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZR6000PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn Z6200PL-HET (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6200-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6200-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6200PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZEMS6200PL-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZER6200-HET (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5655-BWL TS | Zurn ZER6200PL-HET (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn Z6000AV-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn Z6000PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn Z6200-HET (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn Z6200PL-HET (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6000AV-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6000PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6200-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6200-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6200PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZEMS6200PL-HET-IS (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZER6000AV-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZER6000PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZER6200-HET (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZER6200PL-HET (piston type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZR6000AV-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL | Z5656-BWL TS with BPL | Zurn ZR6000PL-HET (diaphragm type) | 1,000 | HET | E | | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET | Zurn Z6000AV-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET | Zurn ZTS6200EV (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn Z6000PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |

HET List Courtesy of: MaP® - © 2004-2015 Gauley Associates, Ltd. and Koeller Co. (www.map-testing.com)

| Manufacturer Fixture Combination | Bowl Model Name | Bowl Model Number | Flushometer Valve Manufacturer and Model Number | MaP Performance Score | 4.8-L (1.28-gal) HET Commercial Combination | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) |
|---|---|---|---|---|---|---|---|---|---|
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn Z6200-HET (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn Z6200PL-HET (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZEMS6000AV-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZEMS6000PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZEMS6200-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZEMS6200-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZEMS6200PL-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZEMS6200PL-HET(diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZER6000AV-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZER6000PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZER6200-HET (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZER6200PL-HET (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZR6000AV-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL HET TS | Zurn ZR6000PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL TS | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5665-BWL TS | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn Z6000AV-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn Z6000PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn Z6200-HET (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn Z6200PL-HET (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZEMS6000AV-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZEMS6000PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZEMS6200-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZEMS6200-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZEMS6200PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZEMS6200PL-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZER6000AV-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZER6000PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZER6200-HET (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZER6200PL-HET (piston type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZR6000AV-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL HET TS with BPL | Zurn ZR6000PL-HET (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL TS with BPL | Zurn ZEMS6000AV-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |
| Zurn | Zurn EL ADA | Z5666-BWL TS with BPL | Zurn ZEMS6000PL-HET-IS (diaphragm type) | 1,000 | HET | E | ADA | | F |

**Notes:**

**RF – Round-front toilet bowl**
**EL – Elongated-front toilet bowl**
**S - Special bowl height for child installations as follows:**

| | |
|---|---|
| **Amer Std** | **Approx. 10.4 inches to 14 inches (260 to 355 mm)** |
| **Gerber** | **Approx. 13.4 inches (340 mm)** |

**ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.**
**G - Gallons per Flush**
**L - Litres per Flush**
**BPL - Bowl with Bed Pan Lugs**