


















	Manufacturer	Series	Model Number
Streetlights			
	Philips	RoadFocus	[RFS-017]-54W16LED3K-T-R2M-UNIV-DMG-RCD7-GY3 [RFM-051]-72W32LED3K-T-R3M-UNIV-DMG-RCD7-GY [RFM-051]-108W48LED3K-T-R3S-UNIV-DMG-RCD7-GY3 [RFL-037]-145W64LED3K-T-R3M-UNIV-DMG-RCD7-GY3
	Holophane	Memphis	MPL2-P10S-30K-AS-BK-TG-3-P-P7PCLL 100HPSeq-MPL2-P10S-30K-AS-RAL-TG-3-P-P7PCLLN2X2-LT3HSS90 150HPSeq-MPL2 P20S 30K AS RAL5011 TG 3 P P7 PCLL NL2X2 LT3HSS90
	Philips	Renaissance	[RNS20-008]-35W32LED3KT-T-ACDR-LE2-120-DMG-BKYX
Pedestrian Lights			
	Holophane	GranVille II	GVD2-P30-30K-AS-F-BL-3-N-S-BK-NL1X1 GVD2-P20-30K-AS-M-AS-6-N-N-U-P7PCLLN1X1-GVDHSL90 GVD2-P40-30K-AS-M-AS-6-N-N-U-P7NL1X1-GVDHSL90 100HPSeq-GVD3 P20 30K MVOLT MS GL3LU BK PR7 PCLL GVDHSL90 150HPSeq-GVD3 P30 30K MVOLT MS GL3LU BK PR7 PCLL

	Holophane	Washington	AWDE2-P30-30K-AS-F-BK-3-N-C-BK-NL1X1 100HPSeq-WSE2 P30 30K AS BK 3 BK 4 NL1X1 PCLL P7 WLEDHSS90 150HPSeq-WSE2 P40 30K AS BK 3 BK 4 NL1X1 PCLL P7 WLEDHSS90
	Holophane	Madeira	100HPSeq-MDLE2 P30 30K AS 3 BK RBK CH FBK PR12 NL1X1 150HPSeq-MDLE2 P40 30K AS 3 BK RBK CH FBK PR12 NL1X1
	Philips	Lumec Serenade S56	S56-55W48LED3K-T-ACDR-LE2-UNV-DMG-SFX-FN9-HS-PH8XL-[RCD7-006]-TN3-BKTX S56-80W48LED3K-T-ACDR-LE2-UNV-DMG-SFX-FN9-HS-PH8XL-[RCD7-006]-TN3-BKTX
	Philips	Lumec UrbanScape	[MPTC-016]-55W48LED3K-G2-LE2-UNIV- RCD7-GY3TX [MPTC-016]-70W64LED3K-G2-LE2-UNIV- RCD7-GY3TX [MPTC-016]-55W32LED3K-T-4-UNIV-HS-RCD7-GY3TX
	Philips	Lumec S55 Liberty Hill	S55-55W32LED3K-T-ACDR-LE3W-UNIV-DMG-SFX-HS-PHXL-TN3-BKTX

Streetlight Poles




	Manufacturer-Model	Pole Height	Arm	Bolt Circle	Material
	<p>Ameron Contemporary Series 1C3 prestressed, spun-cast concrete lighting poles</p>	<p>25 and 28 feet</p>	<p>Post Top or Mast Arm</p>	<p>15.25</p>	<p>Concrete</p>
	<p>Ameron 2B2- Decorative Base Round Pole</p>	<p>26'-7"</p>	<p>Post Top or Mast Arm</p>	<p>14</p>	<p>Concrete</p>
	<p>Ameron- Contemporary Series 5B1 Octagonal Pole</p>	<p>26-6", 29'</p>	<p>Post Top or Mast Arm</p>	<p>23</p>	<p>Concrete</p>




	Manufacturer-Model	Pole Height	Arm	Bolt Circle	Material
	Ameron Steel Pole, PL284,286,308	28 feet (4' Arm),28.5' (6'arm), 30' (8' arm)	Single Elliptical Arm 4',6',8'	10-11.5	Steel
	Ameron Steel Pole, PL 286	28 feet (6' Arm)	6'	11.5	Steel
	Union Metal- N70028, Round Fluted and Tapered	29ft	Single, Duel 7'	11.5	Steel



	Manufacturer-Model	Pole Height	Arm	Bolt Circle	Material
	Valmont-DB00945 Round and Tapered	16', 22', 28.5'	Single-1.83', 4', 6'	10.75	Steel
	Valmont-DB00945 Fluted Round and Tapered	22', 28.5'	Single-1.83', 4', 6'	10.75	Steel
Holophane Memphis pole	SF(22)OTS-11GA-HDG-RAL 5011(POWDER COAT), SF20CSBCIRAL, SFC48/2CA/RAL5011, AB-28-4RFD197355	22	4.5"X5" Tenon		Steel
Holophane Memphis pole	SF(27)OTS-11GA-HDG-RAL 5011(POWDER COAT), SF20CSBCIRAL, SFC24/1RAL5011 AB-28-4RFD245853	27	4.5"X5" Tenon		steel

	Manufacturer-Model	Pole Height	Arm	Bolt Circle	Material
Holophane Memphis pole	SF(27)OTS(8.75J)-HDGS/RAL CSB20-CI/RAL SFC48CARAL AB RFD249403	27	4.5"X5" Tenon		steel

Pedestrian Poles

	Manufacturer-Model	Pole Height	Arm	Bolt Circle	Material
	Union Metal Urban Escape-Inverted Steel	16 feet	Tenon 4" dia	10	Steel
	KW RSP16-5.56-7-kZ41-4X4-SF35HH-SBP-RBC-LAB	16ft	Tenon 4" dia	14	Metal
	Valmont160050506SH	16'	Tenon 4" dia	8.5	Aluminum

	Manufacturer-Model	Pole Height	Arm	Bolt Circle	Material
	Hapco B26851 Straight Smooth with Hinge Base	16'	Tennon 3" dia	8.5-10	Aluminum
	Lumec SM6N-16; Round and Bottleneck	16	Tennon 4" dia	10.5	Steel
	Lumec SSM8V- Round and Straight	16		8.125	Steel

	Manufacturer-Model	Pole Height	Arm	Bolt Circle	Material
	Union Metal N1122-68-B60- Round Flat Tapered	16	Tennon 3" dia	11-1.5	Steel
	Valmont CA159366P1 Straight Smooth	16	Tennon 3" dia	10-11.5	Steel
	Valmont FL26 700A160 Fluted and Tapered	16	1.83", 4"	70.75	Steel
Poles for Holophan	FL210-700A150-P9-HH-FPGV-LAB-FST SLOTTED BC 10" TO 11"	16	3X3	10"-11"	Steel

	Manufacturer-Model	Pole Height	Arm	Bolt Circle	Material
Pole for Holophane	FL210-700A150-P9-HH-FPGV-LAB-FST SLOTTED BC 10" TO 11"	16	3X3	10"-11"	Steel