

QUESTION AND ANSWER REFERENCES

Updated June 2013

Amato R.L. (2005), Water Treatment for Hemodialysis - Updated to Include the Latest AAMI Standards for Dialysate (RD52: 2004). Nephrology Nursing Journal, 32(2):151-170

American Academy of Dermatology website, accessed September 20, 2006: Pruritis: [AAD Pruritus](http://www.aad.org/public/Publications/pamphlets/Dry+SKin+and+Keratosis+Pilaris.htm); Dry Skin and Keratosis Pilaris: <http://www.aad.org/public/Publications/pamphlets/Dry+SKin+and+Keratosis+Pilaris.htm>

Amiri F., Mesquita M.M.F., Andrews S.A. (2010), Disinfection effectiveness of organic chloramines, investigating the effect of pH, Water Research, 44 (2010) 845 – 853.

Aschengrau A, Zierler S, Cohen A. (1993), Quality of community drinking water and the occurrence of late adverse pregnancy outcomes. Arch Environ Health, 48:105-13.

AWWA Committee (1941), Chlorine-Ammonia Treatment of Water, Committee Report, Journal AWWA, vol. 33, 12, pp. 2079-2121.

AWWA (1998), Water Treatment Plant Design, Third Edition, McGraw-Hill.

AWWA (1999), Water Quality and Treatment, Fifth Edition, Letterman R.D., Editor, McGraw-Hill, Inc., New York.

AWWA (2002), PVC Pipe – Design and Installation, Manual of Water Supply Practices – M23, Second Edition, American Water Works Association, Denver, CO.

AWWA (2005a), Microfiltration and Ultrafiltration Membranes for Drinking Water, Manual of Water Supply Practices – M53, First Edition, Denver, CO.

AWWA (2005b) Standard for Disinfecting Water Mains, ANSI/AWWA C651-05.

AWWA (2006a), Fundamentals and Control of Nitrification in Chloraminated Drinking Water Distribution Systems, Manual of Water Supply Practices – M56, American Water Works Association, Denver, CO.

AWWA (2006b), Water Chlorination/Chloramination Practices and Principles, Manual of Water Supply Practices – M20, Second Edition, American Water Works Association, Denver, CO.

AWWA (2006c), Waterborne Pathogens, Manual of Water Supply Practices, Second Edition, American Water Works Association – M48, Denver, CO.

AWWA (2006d), PE Pipe – Design and Installation, Manual of Water Supply Practices – M55, American Water Works Association, Denver, CO.

AWWA (2008a), Committee Report: Disinfection Survey, Part 1 – recent Changes, Current Practices and Water Quality Journal AWWA, vol. 100:10, 76-90

AWWA (2008b), Committee Report: Disinfection Survey, Part 2 – Alternatives, Experiences, and Future Plans, Journal AWWA, vol. 100:11, 110-124.

Backer LC, Lan Q, Blount BC, Nuckols JR, Branch R, Lyu CW, Kieszak SM, Brinkman MC, Gordon SM, Flanders WD, Romkes M, Cantor KP. (2007), Exogenous and Endogenous Determinants of Blood Trihalomethane Levels after Showering. *Environ Health Perspect*: doi:10.1289/ehp.10049. [Online 11 October 2007]

Baker KH, Hegarty JP, Redmond B, Reed NA, Herson DS. (2002), Effect of oxidizing disinfectants (chlorine, monochloramine, and ozone) on *Helicobacter pylori*. *Appl Environ Microbiol*. Feb;68 (2):981-4.

Baribeau H. et al (2006), Formation and Decay of Disinfection By-Products in the Distribution System, AWWA Research Foundation, Denver, CO.

Barrett S., Hwang C., Guo Y., Andrews S.A., Valentine R. (2003), Occurrence of NDMA in Drinking Water: A North American Survey, 2001 – 2002, Proceedings of AWWA Annual Conference, Anaheim, CA.

Bernard A, Carbonnelle S, Michel O, Higuete S, De Burbure C, Buchet JP, Hermans C, Dumont X, Doyle I. (2003), Lung hyperpermeability and asthma prevalence in schoolchildren: unexpected associations with the attendance at indoor chlorinated swimming pools. *Occup Environ Med*, 60:385–394

Bircher AJ. (1990), Water-induced itching. *Dermatologica*, 181:83-87.

Bonds R.W. (2004), Effect of Chloramines on Ductile-Iron Pipe Gaskets of Various Elastomer Compounds, *Journal AWWA*, vol. 96, 4, 153-160.

Boulay N., Edwards M. (2001), Role of Temperature, Chlorine, and Organic Matter in Copper Corrosion By-Product Release in Soft Water, *Water Research*, vol. 35, 3, 683-690.

Bove FJ, Fulcomer MC, Klotz JB, Esmart J, Dufficy EM, Savrin JE. (1995), Public drinking water contamination and birth outcomes. *Am J Epidemiol*, 141:850-62.

Boyd G.R., McFadden M.S., Reiber S.H., Sandvig A.M., Korshin G.V., Giani R., Frenkel A.I. (2010), Effect of Changing Disinfectants on Distribution System Lead and Copper Release. Part 2 – Research Results, Water Research Foundation, Denver, CO.

Bremer P.J., Webster B.J., Wells D.B. (2001), Biocorrosion of Copper in Potable Water, *Journal AWWA*, vol. 93, 8, 82.

Bruchet, A.; N'Guyen K, Mallevalle, J. & Anselme, C. (1989), Identification and Behavior of Iodinated Haloform Medicinal Odor. Proceedings, AWWA Seminar on Identification and Treatment of Taste and Odor Compounds, Los Angeles, CA., pp.125-141.

Bull R.J., Krasner S.W., Daniel P.A., Bull R.D. (2001), Health Effects and Occurrence of Disinfection By-Products, AWWA Research Foundation, Denver, CO.

Bull RJ, Birnbaum L, Cantor, KP, Rose JB, Butterworth BE, Pegram R, Tuomisto J.. (1995), Water chlorination: essential process or cancer hazard? *Fundam Appl Toxicol*, 28:155-66.

Centers for Disease Control and Prevention (2013), Chemical Irritants (Chloramines) & Indoor Pool Air Quality, <http://www.cdc.gov/healthywater/swimming/pools/irritants-indoor-pool-air-quality.html>, updated March 7, 2013, accessed July 23, 2013.

- Connell G.F. (1997), The Chlorination/Chloramination Handbook, AWWA, Denver, CO.
- Crittenden, J., Trussell, R., Hand, D., Howe, K. and Tchobanoglous, (2005), Water Treatment, Principles and Design, MWH, 2nd Edition, John Wiley & Sons, N.Y.
- Doyle TJ, Zheng W, Cerhan JR, Hong CP, Sellers TA, Kushi LH, and Folsom AR. (1997), The association of drinking water source and chlorination by-products with cancer incidence among postmenopausal women in Iowa: a prospective cohort study. *Am J Public Health*, 87:1168-76.
- du Peloux Menage H, Greaves MW. (1995), Aquagenic pruritus. *Semin Dermatol*, 14:313-316.
- Eckart N. A. (1936), Benefits Accruing from the Hetch Hetchy Project, San Francisco Water Supply, *Journal AWWA*, vol. 28, 9, pp. 1211-1231.
- Eckart N. A. (1940), The Water Supply System of San Francisco, *Journal AWWA*, vol. 32, 5, pp. 751 – 794.
- Eder W, Ege MJ, von Mutius E. The asthma epidemic. *N Engl J Med*. 2006;355(21):2226-2235.
- Edwards M., Ferguson J.F., Reiber S.H. (1994), The Pitting Corrosion of Copper, *Journal AWWA*, vol. 86, 7, 74.
- Edwards M., Dudi A. (2004) Role of Chlorine and Chloramine in Corrosion of Lead-Bearing Plumbing Materials, *Journal AWWA*, vol. 96, 10, 69 – 81.
- Environment Canada (2001), Priority Substances List Assessment Report - Inorganic Chloramines. Environment Canada, Health Canada, March 2001.
- Environment Canada (2002), CEPA Environmental Registry Substances List. Background: Chloramines, http://www.ec.gc.ca/CEPARRegistry/subs_list/Chloramines_BG.cfm, accessed 8/23/2006.
- Environmental Defense (2006), Restoration of Hetch Hetchy Valley, Testimony of Environmental Defense, Assembly Committee on Water, Parks & Wildlife, October 10, 2006.
- Fenster L, Windham GC, Swan SH, Epstein DM, Neutra RR. (1992), Tap or bottled water consumption and spontaneous abortion in a case- control study of reporting consistency. *Epidemiology*, 3:120-4.
- Ferguson, Mark. (2000). Gastroesophageal Reflux Disease (GERD). Society of Thoracic Surgeons (STS). Revised Jan 2000 available at <http://www.sts.org/doc/4119> Accessed November 30, 2006
- Flannery B., Gelling L.B., Vugia D.J., Weintraub J.M., Salerno J.J., Conroy M.J., Stevens V.A., Rose C.E., Moore M.R., Fields B.S., Besser R.E. (2006), Reducing Legionella Colonization in Water Systems with Monochloramine, *Emerg Infect Dis.*, vol. 12, 4, 588-596.
- Gallagher MD, Nuckols JR, Stallones L, Savitz DA. (1998), Exposure to trihalomethanes and adverse pregnancy outcomes. *Epidemiology*, 9:484-9.
- Giammar D.E., Nelson K.S., Noel J.D., Xie Y. (2010), Water Chemistry Effects on Dissolution Rates of Lead Corrosion Products, Water Research Foundation, Denver CO.

Goslan EH, Krasner SW, Bower M, Rocks SA, Holmes P, Levy LS, Parsons SA. (2009), A comparison of disinfection by-products found in chlorinated and chloraminated drinking waters in Scotland. *Water Res.* 43(18):4698-706.

Griffith H. W. (1998) *Vitamins, Herbs, Minerals and Supplements. The Complete Guide.* DaCapo Press, Cambridge MA.

Hankin S. (2001), *Chemicals in Drinking Water: Chloramines.* Scottish Centre for Infection and Environmental Health.

<http://www.show.scot.nhs.uk/scieh/environmental/enviropdf/Chloramines.pdf>

Hansson, R.C.; Henderson, M.J.; Jack, P.; & Taylor R.D. (1987). Iodoform Taste Complaints in Chloramination. *Water Res.*, 21:10:1265-1271.

Harms L.L., Owen C. (2004), *A Guide for the Implementation and Use of Chloramines,* AWWA Research Foundation, Denver, CO.

Health Canada (2009), *Guidance on Controlling Corrosion in Drinking Water Distribution Systems,* June 2009, Ottawa, Ontario, ISBN: 978-1-100-14193-0.

Hoek K.; Herzner J.; Feldman E.; Becker W; Schindler S.; Freud S. (2010), Survey Says? Major Water Utilities Shed Light on Chloramine Disinfection, *Opflow AWWA* vol. 36:11, 10-14.

Hong Y., Liu S., Song H, Karanfil T. (2007), HAA Formation during Chloramination – Significance of Monochloramines's Direct Reaction with DOM, *Journal AWWA*, vol. 99, 8, pp.57-69.

Iishi H, Tatsuta M, Baba M, Mikuni T, Yamamoto R, Iseki K, Yano H, Uehara H, Nakaizumi A. (1997), Enhancement by monochloramine of the development of gastric cancers in rats: a possible mechanism of *Helicobacter pylori*-associated gastric carcinogenesis. *J Gastroenterol*, 32(4):435-41.

Jacangelo J.G., Olivieri V.P., Kawata K. (1987), *Mechanism of Inactivation of Microorganisms by Combined Chlorine,* AWWA Research Foundation, Denver, CO.

Karanfil T.; Hu J.; Jones D.B.; Addison J. B.; Song H. (2011), *Formation of Halonitromethanes and Iodo-Trihalomethanes in Drinking Water,* WRF, project 4063.

Kim B.R., Anderson J.E., Mueller S.A., Gaines W.A., Kendall A.M. (2002), *Literature Review – Efficacy of Various Disinfectants Against Legionella in Water Systems,* *Water Research*, vol. 36, 4433-4444.

King WD, Dodds L, Allen AC. (2000), Relation between stillbirth and specific chlorination byproducts in public water supplies. *Environ Health Perspect*, 108:883-6.

Kirmeyer et al. (2004), *Optimizing Chloramine Treatment,* Second Edition, AWWA Research Foundation, Denver, CO.

Kramer MD, Lynch CF, Isacson P, Hanson JW. (1992), The association of waterborne chloroform with intrauterine growth retardation. *Epidemiology*, 3:407-13.

Krasner S.W. McGuire M.J., Jacangelo J.G., Patania N.L., Reagan K.M., Aieta E.M. (1989), The Occurrence of Disinfection By-Products in US Drinking Water, *Journal AWWA*, vol. 81, 8, 41.

Krasner, S.W., Weinberg, H.S., Richardson, S.D., Pastor, S.J., Chinn, R., Scilimenti, M.J., Onstad, G.D., Thruston, A.D. (2006), Occurrence of a New Generation of Disinfection Byproducts. Environ. Sci. Technol.; Web Release Date: 26-Jul-2006; DOI: 10.1021/es060353j

Krasner SW. (2009) The formation and control of emerging disinfection by-products of health concern. Philos Transact A Math Phys Eng Sci. 367(1904):4077-95.

Lamberg M, Hausen H, Vartiainen T. (1997). Symptoms experienced during periods of actual and supposed water fluoridation. Community Dent Oral Epidemiol. 25(4):291-5.

Lee W., Westerhoff P. (2009), Formation of organic chloramines during water disinfection – chlorination versus chloramination, Water Research, 43 (2009) 2233 – 2239

Li H., Finch G.R., Smith D.W., Belosevic M. (2001), Sequential Disinfection Design Criteria for Inactivation of *Cryptosporidium* Oocysts in Drinking Water, American Water Works Research Foundation, Denver, CO.

Li J. and Blatchley E.R. III (2007) Volatile Disinfection Byproduct Formation Resulting from Chlorination of Organic-Nitrogen Precursors in Swimming Pools, Environ.Sci. Technol.,vol 41, 19, 6732-6739.

Lubbers JR, Chaudan S, and Bianchine JR. (1981), Controlled clinical evaluations of chlorine dioxide, chlorite and chlorate in man. Fundam. Appl Toxicol 1:334. (As described in Guidelines for Canadian Drinking Water Quality Supporting Document: http://www.hc-sc.gc.ca/ewh-semt/alt_formats/hecs-sesc/pdf/pubs/water-eau/doc-sup-appui/chloramines/chloramines_e.pdf)

Lyons RA, Temple JM, Evans D, Fone DL, Palmer SR. (1999). Acute health effects of the Sea Empress oil spill. J Epidemiol Community Health, 53(5):306-10.

Lytle D.A., Payne J.M., Feldhaus J. (2005), Copper Pitting Corrosion in a Drinking Water Distribution System, AWWA Annual Conference Proceedings.

Lytle D. (2006), Personal communication, 11/17/2006.

Marshall B, and Edwards, M. Evaluation of Lead Corrosion Control Strategies in Maui Water. Virginia Tech. Final Report 8/25/04

Marshall B., Rushing J., Edwards M. (2003), Confirming the Role of Aluminum Solids and Chlorine in Copper Pitting Corrosion, AWWA Annual Conference Proceedings.

Marshall B., Edwards M. (2005), Copper Pinhole Leak Development in the Presence of Al(OH)₃ and Chlorine, AWWA Annual Conference Proceedings.

McGeehin MA, Reif JS, Becher JC, Mangione EJ. (1993), Case-control study of bladder cancer and water disinfection methods in Colorado. Am J Epidemiol., Oct 1;138(7):492-501.

McGuire M. J. (2006), Eight Revolutions in the History of US Drinking Water Disinfection, Journal AWWA, vol. 98, 3, 123.

McGuire M.J. (2013), The Chlorine Revolution. Water Disinfection and the Fight to Save Lives, AWWA, Denver CO.

Mitch W.A., Sharp J.O., Trussell R.R., Valentine R.L., Alvarez-Cohen L., Sedlak D.L. (2003), N-Nitrosodimethylamine (NDMA) as a Drinking Water Contaminant: A Review. *Environmental Engineering Science*, vol. 20, 5, 389-404.

Mitch W.A., Krasner S.W., Westerhoff P., Dotson A. (2009), Occurrence and Formation of Nitrogenous Disinfection By-Products, Water Research Foundation, Denver CO.

Morris R.D., Audet AM, Angelillo IF, Chalmers TC, Mosteller F. (1992), Chlorination, chlorination byproducts, and cancer: a meta-analysis. *Am J Public Health*, 82:955-63.

Morris R.D. (2007), *The Blue Death. Disease, Disaster and the Water We Drink*, Harper Collins Publishers, New York, NY

Nagisetty R. M., Thomas D. Rockaway, Gerold A. Willing (2010), Aqueous Chloramine Diffusion into Elastomers, *Journal of Applied Polymer Science*, Vol. 117, 2597–2611.

Najm I. et al. (2006), Formation of Hydrazine as a Chloramine By-Product, AWWA Research Foundation, Denver, CO.

Najm I., Trussell R.R. (2001). NDMA Formation in Water and Wastewater. *Jour. AWWA*, 93:2:92.

Najm I.; Brown N. P.; Gramith K. (2011), Quantifying Hydrazine In Chloraminated Water, WRF, project 4141.

Nieuwenhuijsen MJ, Toledano MB, Eaton NE, Fawell J, Elliott P. (2000), Chlorination disinfection byproducts in water and their association with adverse reproductive outcomes: a review. *Occup Environ Med*, 57:73-85.

O'Connor D.R. (2002). Report of the Walkerton Inquiry: The Events of May 2000 and Related Issues. Part One: A Summary. Ontario Ministry of the Attorney General.
http://www.attorneygeneral.jus.gov.on.ca/english/about/pubs/walkerton/part1/WI_Summary.pdf

Odell L.H. et al (1996) Controlling Nitrification in Chloraminated Systems, *Journal AWWA*, vol. 88:7:86-98.

Plewa, M.J., Wagner, E.D., Richardson S.D., Thurston A.D., Jr., Woo Y.T., McKague A.B. (2004) "Chemical and Biological Characterization of Newly Discovered Iodoacid Drinking Water Disinfection Byproducts", *Environmental Science & Technology*, 38, 18, 4713-4722.

Pope P.G., Speitel G.E., Jr., Collins M.R. (2006), Kinetics of Dihalooacetic acid Formation during Chloramination, *Journal AWWA*, vol. 98, 11, pp. 107-120.

Reiber S. (1993), Chloramine Effects on Distribution System Materials, AWWA Research Foundation, Denver CO.

Reif JS, Hatch MC, Bracken M, Holmes LB, Schwetz BA, Singer PC. (1996), Reproductive and developmental effects of disinfection by-products in drinking water. *Environ Health Perspect*, 104:1056-61.

Richardson, S.D. (2004), Personal communication. Research Chemist, National Exposure Research Laboratory, U.S. Environmental Protection Agency, Athens, GA.

- Rockaway T.D, Willing G.A., Schreck R.M., Davis K.R. (2007), Performance of Elastomeric Components in Contact With Potable Water, AwwaRF and USEPA
- Rudman, D., Smith, RB, Salam, AA, Warren, WD, Galambos, JT and Wenger, J. (1973), Ammonia content of food. *Am. J. Clin. Nutr*, 26(5): 487-490.
- Russell C.G., Blute N.K., Via S., Wu X., Chowdhury Z. (2012), Nationwide Assessment of Nitrosamine Occurrence and Trends, *Journal AWWA*, vol. 104:3, E205-E217.
- Savitz D.A., Singer P.C., Hartmann K.E., Herring A.J., Weinberg H.S.. (2005), Drinking Water Disinfection By-Products and Pregnancy Outcome, AWWA Research Foundation, Denver, CO.
- Savitz DA, Andrews KW, Pastore LM. (1995), Drinking water and pregnancy outcome in central North Carolina: source, amount, and trihalomethane levels. *Environ Health Perspect*, 103:592-6.
- Schock, M. and Giani, R. (2004), Oxidant/Disinfectant Chemistry and Impacts on Lead Corrosion, *Proc. AWWA WQTC*, 2004.
- Schock, M., Scheckel, K., DeSantis, M., Gerke, T. (2005), Mode of Occurrence, Treatment, and Monitoring Significance of Tetravalent Lead, *Proc. AWWA WQTC*, Quebec City.
- Seidel C.J., McGuire M.J., Summers R.S., Via S. (2005), Have Utilities Switched to Chloramines? *Journal AWWA*, vol. 97, 10, 87.
- SFPUC (1935), Report of the SFPUC, FY 1934-1935.
- SFPUC (1937), Report of the SFPUC, FY 1935-1936.
- SFPUC (1938), Report of the SFPUC, FY 1936-1937.
- SFPUC (1939a), Report of the SFPUC, FY 1937-1938.
- SFPUC (1939b), Report of the SFPUC, FY 1938-1939.
- SFPUC (1941a), Report of the SFPUC, FY 1939-1940.
- SFPUC (1941), Report of the SFPUC, Fiscal Year 1940 – 1941.
- SFPUC (1943a), Report of the SFPUC, FY 1941-1942.
- SFPUC (1943b), Report of the SFPUC, FY 1942-1943.
- SFPUC (1947), Report of the SFPUC, FY 1945-1946.
- SFPUC (1949), Report of the SFPUC, FY 1947-1948.
- Sharp R., Gaylord B., Coleman E., Rosenfeldt B., Becker W., Glaser C. (2007), Switching to Chloramines in the New York City Water System: Impacts on Lead and Copper Leaching, Corrosion and Regrowth, AWWA Water Quality Technology Conference.
- Siddiqui M., Atasi K.. (2001), NDMA Occurrence and Formation – A Review. *Proc. 2001 Annual AWWA Conf.*, Washington, DC.

Singer P.C. (1999), Formation and Control of Disinfection By-Products in Drinking Water, AWWA, Denver, CO.

Speitel G, Pope P, Collins M, Martin-Doole M. (2004), Disinfection By-Product Formation and Control During Chloramination, AWWA Research Foundation, Denver, CO.

Strickhouser A., Falkinham J., Edwards M. (2006). The Effect of Nutrients and Disinfection on Microbial Regrowth During Storage in Domestic Water Heaters, AWWA Annual Conference Proceedings.

Swan SH, Waller K, Hopkins B, Windham G, Fenster L, Schaefer C, Neutra RR. (1998), A prospective study of spontaneous abortion: relation to amount and source of drinking water consumed in early pregnancy. *Epidemiology*, 9(2):126-33.

Thickett KM, McCoach JS, Gerber JM, Sadhra S, Burge PS.. (2002), Occupational Asthma Caused by Chloramines in Indoor Swimming-Pool Air, *Eur. Respir. J.*, vol. 19, 827-832.

Tikkanen M. et al. (2001), Guidance Manual for Disposal of Chlorinated Water, AwwaRF, Denver, CO.

Triantafyllidou S., and Edwards M. (2006), Role of Chlorine to Sulfate Mass Ratio in Lead Leaching from Soldered Joints and Brass, Proceedings of WQTC, Denver CO.

Trussell R.R. (2006), Water Treatment: The Past 30 Years, *Journal AWWA*, vol. 98, 3, 100.

U.S. Department of Health and Human Services (1992). NTP TR 392 Toxicology and Carcinogenesis Studies of Chlorinated Water (CAS Nos. 7782-50-5 and 7681-52-9) and Chloraminated Water (CAS No. 10599-90-3) (Deionized and Charcoal-Filtered) in F344/N Rats and B6C3F1 Mice (Drinking Water Studies) March 1992.

US Environmental Protection Agency (1989a), Surface Water Treatment Rule, Subpart H. Filtration and Disinfection 54 FR 27486-27527, June 29, 1989.

US Environmental Protection Agency (1989b), Total Coliform Rule, 54 FR 2754-27568, June 29, 1989.

US Environmental Protection Agency (1990), Guidance Manual for Compliance with the Filtration and Disinfection Requirements for Public Water Systems Using Surface Water Sources, published by AWWA.

US Environmental Protection Agency (1991), Lead and Copper Rule, 56 FR 26460 – 26564, June 7, 1991.

US Environmental Protection Agency (1992), Integrated Risk Information System: Monochloramine (CASRN 10599-90-3). <http://www.epa.gov/iriswebp/iris/subst/0644.htm>

US Environmental Protection Agency (1994), Drinking Water Criteria Document for Chloramines Final Draft ECAO-CIN-D002. March, 1994.
<http://www.epa.gov/ncea/pdfs/water/chloramine/dwchloramine.pdf>

US Environmental Protection Agency (1998), Stage 1 D/DBPR 63 FR 69360-69476, Dec 16, 1998.

US Environmental Protection Agency (1999), Alternative Disinfectants and Oxidants Guidance Manual, EPA 815-R-99-014.

US Environmental Protection Agency (2006a), Stage 2 D/DBP Rule, 71 FR 388 Jan 4, 2006, Vol. 71, No. 2.

US Environmental Protection Agency (2006b), National Primary Drinking Water Regulations. Long Term 2 Enhanced Surface Water Treatment Rule, 71 FR Jan 5, 2006, vol. 71, No. 3.

US Environmental Protection Agency (2006c), Pitting Corrosion of Copper in High-pH and Low-Alkalinity Waters. http://www.epa.gov/ORD/NRMRL/wswrd/cr/corr_res_copper_ai2.html, accessed 10/17/2006.

US Environmental Protection Agency (2007), Elevated Lead in D.C. Drinking Water – A Study of Potential Causative Events, Final Summary Report, Office of Ground Water & Drinking Water, EPA 815-R-07-021.

US Environmental Protection Agency (2009), Chloramines in Drinking Water, http://water.epa.gov/lawsregs/rulesregs/sdwa/mdbp/chloramines_index.cfm, Office of Water 4607-M EPA EPA 815-B-09-001 March 2009, accessed 8/16, 2010.

Valentine R.L., Ozekin K., Vikesland P.J. (1998), Chloramine Decomposition in Distribution System and Model Waters, American Water Works Research Foundation, Denver, CO.

Valentine R.L., et al. (2005), Factors Affecting the Formation of NDMA in Water and Occurrence, AWWA Research Foundation, Denver, CO.

Verani J.R. et. al (2009), National Outbreak of Acanthamoeba Keratitis Associated with Use of a Contact Lens Solution, United States, Emerging Infectious Diseases • www.cdc.gov/eid • Vol. 15, No. 8, August 2009.

Vikesland PJ, Ozekin K, Valentine RL. (2001), Monochloramine decay in model and distribution system waters. *Water Res*, 35(7):1766-76.

Von Gunten, U. (2003) "Ozonation of Drinking Water: Part II. Disinfection and Byproduct Formation in Presence of Bromide, Iodine or Chlorine." *Water Res*. Apr; 37(7): 1469-87

Waller K., Swan S.H., DeLorenze G., Hopkins B. (1998), Trihalomethanes in Drinking Water and Spontaneous Abortion, *Epidemiology*, vol. 9, 2, 134-140.

Weinberg, H.S., Krasner S.W., Richardson S.D., Thruston A.D., Jr. (2002) " The Occurrence of Disinfection Byproducts (DBPs) of Health Concern in Drinking Water: results of a Nationwide DBP Occurrence Study. <http://www.epa.gov/athens/publications/DBP.html>

Weinberg, H.S.; Milsk, R. (2013) "Comparing Cytotoxicity of Water After Chlorination and Chloramination, WRF, project 4303.

Weintraub, J.M., Berger, M., & Bhatia, R. (2006), Heterogeneous dermatitis complaints after change in drinking water treatment: a case report. *Environ Health*, 9:5:18.

West T., Daniel P., Boozarpour M. DeGraca A., Labonte J., Clancy J. (1998), Inactivation of Cryptosporidium through Chlorine-Chloramine Disinfection, Proceedings of AWWA Annual Conference, Dallas, TX.

Westerhoff P.; Jang H.; Abbaszadegan M.; Absar A. (2010), Organic Chloramine Formation and Influence on Disinfection Efficacy and Nitrification, WRF, project 4065

White G.C. (1999), Handbook of Chlorination and Alternative Disinfectants, Fourth Edition, John Wiley Interscience, New York.

Wilczak A., Jacangelo JG, Marcinko JP, Odell LH, Kirmeyer GJ, Wolfe RL. (1996), Occurrence of Nitrification in Chloraminated Distribution Systems, Journal AWWA, vol.88:7:74-85.

Wilczak A, Assadi-Rad A, Lai HH, Hoover LL, Smith JF, Berger R, Rodigari F, Beland JW, Lazzelle LJ, Kincannon EG, Baker H, Heaney CT. (2003a), Formation of N-Nitrosodimethylamine (NDMA) in Chloraminated Water Coagulated with DADMAC Cationic Polymer, Journal AWWA. 95:9:94-106.

Wilczak A., Hoover L.L., Lai H. H. (2003b) Effects of Treatment Changes on Chloramine Demand and Decay, Journal AWWA, vol. 95:7:94-106

Wilczak A., Hokanson D.R., Trussell R.R., Boozarpour M., DeGraca A. (2010), Water Conditioning for LCR Compliance and Control of Metals Release in San Francisco's Water System, Journal AWWA, 102:3, 52-64.

Wones RG, Deck CC, Stadler B, Roark S, Hogg E, Frohman LA. (1993), Effects of drinking water monochloramine on lipid and thyroid metabolism in healthy men. Environ Health Perspect, 99:369- 74.

World Health Organization (1996), Guideline for Drinking Water Quality, Vol 2, Chap 16 Disinfectants and Disinfection By-Products. Geneva, Switzerland.

World Health Organization (2003), Ammonia in Drinking-water. Background document for development of WHO Guidelines for Drinking-water Quality. Geneva, Switzerland.

Zhang Y., Griffin A., Rahman M., Camper A., Baribeau H, Edwards M. (2009), Lead Contamination of Potable Water Due to Nitrification, Environ. Sci. Technol. 2009, 43, 1890–1895.

Zierler S, Danley RA, Feingold L. (1986), Type of disinfectant in drinking water and patterns of mortality in Massachusetts. Environ Health Perspect, 69:275-9.

Zierler S, Feingold L, Danley RA, Craun G. (1988), Bladder cancer in Massachusetts related to chlorinated and chloraminated drinking water: a case-control study. Arch Environ Health, 43 (2):195-200.

Zierler S. (1992), Drinking water and reproductive health. Epidemiology, 3:77-8.